

**Electric weed control**

3 2

All weeds except perennials  
*Until 3 uses by period*

Preventative effect 0  
Curative effect -2

Localisation

0 -1 0 -1

Period

**Flaming weed control**

2 2

All weeds except perennials  
*Until 3 uses by period*

Preventative effect 0  
Curative effect -2

Localisation

0 -1 0 -1

Period

**Mulch tiles**

4 4

On intra-row  
*1 pose*

Localisation

Preventative effect -4 then -2  
Curative effect 0

0 +1 0 +1

Period

**Manual weeding**

2 / use 3 / use

Perennials  
*2 uses maximum per period*

Preventative effect 0  
Curative effect -2

0 0 0 0

Period

**1** **2**

## Bank mowing

All weeds except perennials  
Several uses per period

**Localisation**

Preventative effect -1  
 Curative effect 0

0 0 0 0

**Period**

**2** **2**

## Weed topping in inter-row

All weeds  
Only 1 use per period

**Localisation**

Preventative effect -2  
-1/perennials  
 Effet curatif 0

0 0 0 0

**Period**

**+1** **+2**

## Localised spraying

All weed  
To combine with 1 or 2 chemical measure

**Localisation**

Preventative effect 0  
 Curative effect +1

+1 +1 0 +1  
additionnel additionnel additionnel

**Période**

**2**

## FWF : farm work firm


All weeds

The unit of overtime must be spent during the period


+ 1

0 0 0 0


**Period**


**0** +1 x Nbr Methods 

## DSS spraying optimization


 All weeds


To combine with 1 or several chemical methods


 Preventative effect 0


 Curative effect 0




**Localisation**


 +1 additional


 +1 additional

 -1 additional


 +1 additional

 Period  





**+4** +1 

## Localized spraying with robot


 All weeds


To combine with 1 or several chemical methods


 Preventative effect 0


 Curative effect -1 additional





**Localisation**


 +1 additional


 +1 additional

 -1 additional


 +1 additional


 Period   



**5** 


## Agri-environmental measures


 All weeds


This card only costs 3  if it is combined with the card "Cover crop"


"Chemical" cards will be prohibited on the following crop



**+ 4**


 0


 0

 0


 0

 Period 





**+3** +1 x Nbr Methods 

## Mapping with UAV


 All weeds


To combine with 1 or several chemical methods


 Preventative effect 0


 Curative effect 0





**Localisation**


 +1 additionnel

 +1 additionnel

 -1 additionnel

 +1 additionnel

 Période   



**Herbicide flumioxazine**

2 1

**Localisation**

**On inter-row**  
Only 1 use per period

Preventative effect -3 puis -2  
Curative effect 0

0 -2 +4 0

Period

**Glyphosate**

1 / 2 on perennials\* 1

**Localisation**

**All weeds**  
Only 1 use by period  
Incompatible with « tillage » cards

Preventative effect 0  
Curative effect -4

-4 -1/-2\* +2/+3 -1/-2\*

Period

**Associated crop**

4 1

**Localisation**

**On inter-row**  
Only 1 use per period

Preventative effect -3  
Curative effect -2

0 +1 0 +

Period

**Biological herbicide**

2 1

**Localisation**

**All weeds except perennials**  
Only 1 use per period

Preventative effect 0  
Curative effect -3

-1 -1 +2 -1

Period

**1** **Graminicide** **post-emergence** **1**

**Grasses**

*Only 1 use per period*

**Localisation**

**Preventative effect** 0

**Curative effect** -4

-3 0 +3 0

**Period**

**1** **Broadleaf herbicide** **post-emergence** **1**

**Broadleaves**

*Only 1 use per period*

**Localisation**

**Preventative effect** 0

**Curative effect** -4

-2 0 +2 0

**Period**

**2** **Mixt Herbicide** **Pre-emergence** **1**

**Grasses**  
**Broadleaves**

*Only 1 use per period*

**Localisation**

**Preventative effect** -3 then -2

**Curative effect** 0

-3 -1 +3 -1

**Period**

**2** **Broadleaf Herbicide** **Pre-emergence** **1**

**Broadleaves**

*Only 1 use per period*

**Localisation**

**Preventative effect** -3 then -2

**Curative effect** 0

-2 -1 +2 -1

**Period**



## Green manure



On inter-row

Only 1 use per period  
Mandatory cutting  
otherwise loss of vigor (= -1 en quality et en quantity)



Localisation



- Preventative effect -2 then -1
- Curative effect 0



+2



+2



0



0

Period



## Covering the inter-row



On inter-row

Only 1 use per period  
Mandatory cutting  
otherwise loss of vigor (= -1 en quality et en quantity)



Localisation



- Preventative effect -2 then -1
- Curative effect -1



+2



+1



0



0

Period



## Spontaneous grassing



On inter-row

Only 1 use per period  
Careful ! Promote weeds on the row (+1)



Localisation



- Preventative effect 0
- Curative effect -2



+1



+1



0



0

Period



## Annual Mulch



On intra-row

Only 1 use per period



Localisation



- Preventative effect -3 then -2
- Curative effect 0



+1



+1



0



+1

Period



**3** **3**

## Total cover planting

**All weeds except perennials**  
*Only 1 use per period*  
*Mandatory cutting*  
*otherwise loss of vigour (= -1 en quality et en quantity)*

**Preventative effect** -2 then -1  
**Curative effect** -2

**Localisation**

**Period**



**5** **4**


## Pluriannual Mulch

**On intra-row**  
*Only 1 use per period*

**Preventative effect** -3 on 1st year & -2 on 2nd  
**Curative effect** -1

**Localisation**

**Période**



Agronomique

**2** **2**


## Cover & green manure cutting

**All weeds except perennials**  
*Several uses available*

**Preventative effect** 0  
**Curative effect** -1

**Localisation**

**Period**



**+1** **0**


## Allelopathy


**On inter-row**  
*To combine with « Green manure » OR « Associated crop »*

**Preventative effect** -1 additional  
**Curative effect** 0


**Localisation**

**Period**





**2**  **2**

## Superficial tillage



 **All weeds except perennials on inter-row**


Only 1 use per period  
Incompatible with « glyphosate » card

 **Preventative effect** -1


 **Curative effect** -2

**Localisation**





**Period** 





**2**  **3**

## Mechanical weeding with inter-vine blades



 **All weeds on row**


Several uses per period  
Incompatible with « glyphosate » card

 **Preventative effect** 0


 **Curative effect** -2

**Localisation**





**Period** 





**2**  **3**

## Semi-deep tillage



 **On inter-row**


Only 1 use per period  
Incompatible with « glyphosate » card

 **Preventative effect** 0


 **Curative effect** -3

**Localisation**






**Period** 




**4**  **4**



## Eco-grazing

 **All weeds except perennials**

 **Preventative effect** 0

 **Curative effect** -3

**Localisation**

**Period** 