





Physical


3 
2 


Electric weed control


All weeds except perennials


Until 3 uses by period







Preventative effect 0





Curative effect -2



0




0


0


-1


Period








2 
2 


Flaming weed control


All weeds except perennials


Until 3 uses by period







Preventative effect 0





Curative effect -2



0


-1


0


-1


Period





2 / weed 
3 / weed 

Manual weeding

Invasives and perennials

*Until 2 uses by period
1 use for 1 type of weeds only*





Preventative effect 0


Curative effect -2


0


0


0


0


Period






1 2

Bank mowing

Target: All weeds except perennials
Until 3 uses by period

Preventative effect -1
Curative effect 0

0 0 0 0

Period

2 1

Chaff collecting

Target: Summer grasses
Only one use by period

Preventative effect -3
Curative effect 0

0 -1 0 0

Period

1 2

Harvester cleaning

Target: All weeds except perennials
Only one use by period

Preventative effect -2
Curative effect 0

0 0 0 0

Period

2 2

Weed topping

Target: All weeds
Only one use by period


Preventative effect -2
 -1 on perennials
Curative effect 0

0 0 0 0


Period

Prophylaxie

Agronomical




3





3


Cover crop


 **All weeds except perennials**


Only one use by period
*No relevant **before winter crop** (→ efficacy and impacts minus 1)*


 **Preventative effect -2**


 **Curative effect -2**







+3



+2


0



+1

 **Period** 






4





1


Associated crop


 **All weeds except invasives and perennials**


Only one use by period


 **Preventative effect -3**


 **Curative effect -2**







0



+1


0



+1

 **Period** 






1





0


Allelopathy


 **All weeds**


To combine with cover crop


 **Preventative effect -1**
additionnal


 **Curative effect 0**







0


+1


0


0


 **Period** 



0 1


Sowing delay

All weeds except perennials
Only one use by period



Preventative effect -2
Curative effect 0

0 0 0 0

Period 




0 1

Direct sowing


All weeds except perennials
Only one use by period

No soil working measures at following periods except roto-harrow



Preventative effect -1
-2 if cover crop
Curative effect 0

+1 +1 0 +1


Period 



1 1


Sowing distance


All weeds except perennials
Only one use by period



Preventative effect -1
Curative effect 0

0 0 0 0


Period 



1 0


Covering cultivar


All weeds except perennials
Only one use by period





Preventative effect -1
Curative effect 0

+2 +1 0 +1


Period 









Chemical



 1 / 2 on perennials 1 


Glyphosate



 **All weeds**
Only one use by period
Incompatible with « Ploughing » card

 Preventative effect 0
 Curative effect -4


 -4  -1  +2  -1



 Period 









 2 1 


Biological herbicide



 **All weeds except perennials**
Only one use by period

 Preventative effect 0
 Curative effect -3


 -1  -1  +2  -1

 Period 





 1 





Graminicide




 Summer and winter grasses

Only one use by period



 Preventative effect 0

 Curative effect -4


 -3  0  +4  0

 Period  





 1 





Broadleaf herbicide




 Broadleaves

Only one use by period



 Preventative effect 0

 Curative effect -4


 -2  0  +1  0

 Period  





 2 





Perennial herbicide




 Perennials

Only one use by period



 Preventative effect 0

 Curative effect -4


 -3  0  +3  0

 Period  





 2 





Combined weed control Weeder



 All weeds except perennials


Only one use by period

 Preventative effect 0



 Curative effect -3

 -1  -1  +1  -2


 Period 



Soil working



2 
3 



Ploughing


 **All weeds except perennials**


Only one use by period


Incompatible with « Glyphosate » card







 **Preventative effect** -1
  **Curative effect** -2



0




-2


0



-3

 **Period** 







1 
2 


False seed bed


 **All weeds except perennials**


Until 3 uses by period







 **Preventative effect** -2
  **Curative effect** -1



0




-1


0



-1

 **Period** 







1 
2 


Stubble breaking


 **All weeds**


Until 3 uses by period







 **Preventative effect** 0
  **Curative effect** -2
-1 / perennials



0


0


0


-1

 **Period** 




2 3

Mechanical weed control With hoe

All weeds except
perennials and
invasives

Until 2 uses by period




Preventative effect 0

Curative effect -2

0 +1 0 -1

Period




2 2

Mechanical weed control With tine-harrow or roto-harrow

All weeds except
perennials and
invasives

Until 3 uses by period




Preventative effect 0

Curative effect -1

0 +1 0 -1

Period




2 3

Mechanical weed control With rotary-hoe

All weeds except
perennials

Until 2 uses by period



Preventative effect 0

Curative effect -2

0 +1 0 -2

Period



2

FWF : farm work firm


All weeds


The unit of overtime must be spent
during the period

+ 1


0 0 0 0


Period




0 +1 x Nbr Methods 





DSS spraying optimization




All weeds 

To combine with one or several chemical measures 

Preventative effect 0 

Curative effect 0

 +1 additional  +1 additional  -1 additional  +1 additional

 **Period**  



4 +1 

Localized spraying with robot

All weeds 

To combine with one chemical measure 

Preventative effect 0 

Curative effect -1 additional


 +1 additional  +1 additional  -1 additional  +1 additional

 **Period**  





0 **5** 


Agri-environmental measures

All weeds 

This card only costs 3  if it is combined with the card "Cover crop" "Chemical" cards will be prohibited on the following crop


+ 4 

 0  0  0  0


 **Period** 





Outils d'application

3 +1 




Mapping with UAV


All weeds 

To combine with one or several chemical measures 

Preventative effect 0 

Curative effect 0

 +1 additional  +1 additional  -1 additional  +1 additional

 **Period** 